



## Author and Subject Index

### Volume 33, 2002

#### Index of Authors

- |  |                              |                                     |                               |
|--|------------------------------|-------------------------------------|-------------------------------|
| Aglio, Linda S., 21, 30                | Harmony, Thalia, 42, 70, 160 | Mylin Leland H., 62                 | Saygi, Serap, 171             |
| Alper, Kenneth R., 8                   | Hernández, Adriana, 42       | Nashida, Tadayoshi, 77              | Schneider, Franklin R., 119   |
| Alsaadi, T., 174                       | Herrera, Wendy, 160          | Niedermeyer, E., 58, 155            | Shinozaki, Naoko, 77          |
| Andersson, Stein, 102                  | Hillert, Dieter G., 111      | Nowacki, Ralph, 111                 | Shiraishi, Kimio, 189         |
| Aubert, Eduardo, 70                    | Hiruma, Tomiharu, 77         | Olichney, John M., 111              | Silva-Pereyra, Juan, 42, 160  |
| Basho, Surina, 97                      | Howard, Bryant, 8            | Patil, Vijaya K., 1                 | Solbakk, Anne-Kristin, 102    |
| Bodis-Wollner, Ivan, 62                | Hughes, John R., 1, 165      | Patrick, Gloria, 93, 178            | Stewart, Jonathan W., 119     |
| Bosch, Jorge, 70                       | Iragui, Vicente J., 111      | Pavone, A., 155                     | Struve, Frederick A., 93, 178 |
| Bozkurt, Murat Fani, 171               | John, E. Roy, 8, No. 3, V    | Polich, John, No. 3, VI, 97         | Sutoh, Takeyuki, 77           |
| Bruder, Gerard E., 119                 | Kaneko, Sunao, 77            | Prichet, Leslie S., 8               | Sverdlov, Lev, 8              |
| Casián, Gustavo, 70                    | Kato, Toshihiko, 189         | Quitkin, Frederic M., 119           | Tagliati, Michele, 62         |
| Cui, Lili, 82                          | Kayser, Jürgen, 119          | Ramirez, Marcella, 21, 30           | Tanaka, Masahiro, 189         |
| Desai, Sukumar, 21, 30                 | Kikuchi, Mitsuru, 86         | Reeves, Roy R., 93, 178             | Tecoma, Evelyn, 111           |
| Erbas, Belkis, 171                     | Koshino, Yoshifumi, 86       | Reinvang, Ivar, 102                 | Tenke, Craig E., 119          |
| Fernández, Thalia, 42, 70, 160         | Kowalik, Sharon C., 8        | Ricardo-Garcell, Josefina, 70       | Tian, Shujuan, 82             |
| Fernández-Bouzas, Antonio, 42, 70, 160 | Kraus, Karl H., 21           | Riggins, Brock, R., 111             | Tom, MeeLee, 8                |
| Ford, Judith M., 125                   | Kutas, Marta, 111            | Rickimaru, Fumihide, 189            | Vainstein, Gabriel, 48        |
| Gadoth, Natan, 48                      | Leite, Paul, 119             | Romero, Rafael, 21, 30              | Valdés, Pedro, 70             |
| Gansaeuer, M., 174                     | Levy, Walter J., 21          | Rosenthal, Mitchell S., 8           | Wada, Yuji, 86                |
| García, Juan Carlos, 42                | Martínez-López, Manuel, 42   | Sánchez, Liliana, 160               | Wang, C. C., 165              |
| Gonzalez, Andreas A., 30               | Mathalon, Daniel H., 125     | Sánchez-Conde, Raul, 70             | Wang, Huijun, 82              |
| Graef, Alicia, 42                      | Matsuoka, Takashi, 77        | Santiago-Rodríguez, Efraín, 42, 160 | Wang, Yuping, 82              |
| Gugino, Laverne D., 21, 30             | Mazza, S., 155               | Sartucci, Ferdinando, 62            | Yabe, Hirooki, 77             |
| Harada, Hirofumi, 189                  | Merkin, Henry, 8             | Sato, Yasuharu, 77                  | Yoffe, Vitali, 48             |
|  | Mori, Takashi, 189           |                                     | Zhang, Yuan Yuan, 82          |

## Index of Subjects

- Absence seizures** and, status epilepticus, EEG and behavioral correlates, 136-140
- Absolute power** and, harmonic responses to photic stimulation in normal aging and Alzheimer's disease, 86-92
- Age factor** and, EEG harmonic responses to photic stimulation, 86-92
- Lennox-Gastaut syndrome long-term EEG changes, 1-7
- Alpha activity** and, Alzheimer's disease with donepezil treatment, 93-96
- caffeine withdrawal, 178-188
- intravenous olfactory stimulation, 189-192
- sources of EEG activity in learning disabled children, 160-164
- Alzheimer's disease** and, EEG harmonic driving responses to photic stimulation, 86-92
- effects of donepezil, QEEG, 93-96
- multivariate diagnostic evoked response, 140, 154
- Anticonvulsant drugs** and, HIV patients, 97-101
- Lennox-Gastaut syndrome, long-term EEG changes, 1-7
- Anxiety disorders** and, cognitive ERPs during tonal and phonetic oddball tasks, 119-124
- See also Psychiatric disorder
- Asperger's patients** and, QEEG, 53
- Attention** and, P3a and P3b after moderate to severe brain injury, 102-110
- repetitive transcranial magnetic stimulation of the posterior parietal lobe, 150
- See also Cognitive impairment
- Auditory stimuli** and, ERPs in HIV patients receiving anti-viral medication, 97-101
- moderate to severe brain injury, 102-110
- P300 abnormalities in schizophrenia, influence of inter-stimulus interval, 125-135
- See also P300
- Aura** and, pre-aura in epilepsy, 58-61
- Beta activity** and, caffeine withdrawal, 178-188
- intravenous olfactory stimulation, 189-192
- Mario Gozzano EEG pioneer, 155-159
- Book review**, Handbook of Transcranial Magnetic Stimulation, No. 4: V
- Brain Electric Source Analysis (BESA)** and, interictal epileptiform activity in partial complex epilepsy, 42-47
- Brain injury** and, P3a and P3b after moderate to severe injury, 102-110
- QEEG, 56, 144
- Caffeine** and, withdrawal, QEEG analysis, 178-188
- Carbamazepine** and, induced seizures, 174-177
- Cardiac arrest** and, real time neurological monitoring system for cortical injury detection, 149
- Cerebral blood flow** and, SPECT and PLEDs, hyperperfusion and seizures, 171-173
- Cerebral lesions** and, VEP in detection of paracentral visual field defects, 62-69
- Cocaine dependence** and, outcome related electrophysiological subtypes, 8-20, 193
- Cognitive impairment** and, multivariate diagnostic evoked response, 140
- P3a and P3b auditory ERPs in HIV patients receiving anti-viral medication, 97-101
- P3a and P3b after moderate to severe brain injury, 102-110
- repetitive transcranial magnetic stimulation of posterior parietal lobe, 150
- slow-wave EEG, 51-52
- tonal and oddball tasks, in depressive and anxiety disorders, 119-124
- See also Alzheimer's disease, Memory
- Comorbidity** and, ERPs in depressive and anxiety disorders during tonal and phonetic oddball tasks, 119-124
- Complex partial seizures** and, interictal epileptiform activity with BESA, 42-47
- Lennox-Gastaut syndrome long-term follow-up, 1-7
- PLEDs and hyperperfusion, with SPECT, 171-173
- status epilepticus, EEG and behavioral correlates, 136-140
- Conflict information** and, ERP in a no-go task, 82-85
- Contingent negative variation (CNV)** and, small symmetrical negativity in a somatosensory paradigm, 77-81
- Delta activity** and, caffeine withdrawal, 177-188
- See also Slow activity
- Dementia**, See Alzheimer's disease, Cognitive impairment
- Depression** and, cognitive ERPs during tonal and phonetic oddball tasks, 119-124
- electrophysiologic studies, new findings and potential clinical applications, 145
- See also Psychiatric disorder
- Dipole modeling** and, EEG source localization of interictal epileptiform activity in partial complex epilepsy, 42-47
- Donepezil** and, QEEG in Alzheimer's disease, 93-96
- Drugs** and, anticonvulsant medication in HIV patients, 97-101
- caffeine withdrawal, 178-188
- carbamazepine-induced seizures, 174-177
- cocaine dependence outcome in physiological subtypes, 8-20
- donepezil in Alzheimer's disease, QEEG, 93-96
- Lennox-Gastaut syndrome, long-term changes, 1-7
- mental disorders therapy, 136
- politics and placebos, 54-55
- QEEG predicting response, 54
- serotonergic antidepressants, 145-146
- Editorial**: Letter from the President, No. 3, V
- Epilepsy**, See Seizures

- Event-related evoked potentials** and, advanced methods for analysis, 148
- clinical patients, No. 3, VI, 97-135
  - depressive and anxiety disorders during tonal and phonetic oddball tasks, 119-124
  - HIV patients receiving anti-viral medication, 97-101
  - interstimulus interval on auditory P300 in schizophrenia, 125-135
  - latency abnormalities in schizophrenia, 152
  - medial temporal lobe, memory, 146
  - moderate to severe brain injury, 102-110
  - N400, semantic congruity and word repetition in left temporal lobe epilepsy, 111-118
  - no-go task, response-tendency conflict, 82-85
  - S-adenosyl-L-methionine, cognitive information processing, 151
  - somatosensory CNV paradigm, 77-81
  - visual field defects, 62-69
- Evoked potentials** and, auditory and central serotonergic activity, response to serotonergic vs. noradrenergic antidepressants, 145-146
- See also Event-related EPs, SSEPs
- Frequency Domain Variable Resolution Electromagnetic Tomography** and, source analysis in learning disabled children, 160-164
- See also VARETA
- Frontal localization** and, electrophysiology, 141
- no-go stimuli, response tendency conflict, 82-85
  - olfactory stimulation, 189-192
- Full-field new: stimulation** and, VEP in detection of paracentral visual field defects, 62-69
- Gelastic seizures** and, associated conditions, 193
- Generalized tonic-clonic seizures** and, Lennox-Gastaut syndrome, 1-7
- Gozzano, Mario**, EEG pioneer, 155-159
- Hemispheric asymmetry** and, cognitive ERPs in depressive and anxiety disorders during tonal and phonetic oddball tasks, 119-124
- Hemorrhage, brain** and, sources of abnormal EEG activity, 70-76
- See also Vascular changes
- Hippocampus** and, functional neuroimaging, 146-147
- formation critical for recollection but not familiarity, 147
- Human Immunodeficiency Virus (HIV)** and, P3a and P3b auditory ERPs in patients receiving anti-viral medication, 97-101
- Hypsarhythmia** and, Lennox-Gastaut syndrome, long-term EEG changes, 1-7
- Infectious disorder** and, HIV patients receiving anti-viral medication, P3a and P3b auditory ERPs, 97-101
- Interhemispheric coherence** and, caffeine withdrawal, 178-188
- Interstimulus interval** and, auditory P300 abnormalities in schizophrenia, 125-135
- Language** and, N400, semantic congruity and word repetition in left temporal lobe epilepsy, 111-118
- Learning disorders** and, sources of EEG activity in children, 160-164
- Lennox-Gastaut syndrome** and, long-term EEG changes, 1-7
- LORETA** and, diagnosis and therapy of mental disorders, 136
- normative database, 57
- Magnetoencephalography** and, epilepsy, 140
- Memory** and, ERP in human medial temporal lobe, 146
- N400, semantic congruity and word repetition in left temporal lobe epilepsy, 111-118
  - P300 in an aging large population, 149-150
  - temporal lobe epilepsy, limbic ERP, 147
  - See also Alzheimer's disease
- Mental disorders** and, EEG mapping and tomography, evidence of key-lock principle, 136
- See also Psychiatric disorder
- Motor evoked potentials** and, cap-shaped coil for transcranial magnetic stimulation, 21-41
- Myoclonic seizures** and, Lennox-Gastaut syndrome, 1-7
- Neurobehavioral disorders** editorial, No. 3, V
- N400** and, semantic congruity and word repetition in left temporal lobe epilepsy, 111-118
- No-go potential** and, ERP involving response-tendency conflict, 82-85
- Nonconvulsive status epilepticus** and, EEG and behavioral correlates, 136-140
- Normative data-bases**, and neuropsychiatry, clinical and research utility of qEEG/EP, 144
- EEG, statistical standards, sensitivity specificity, 145
  - 3-dimensional LORETA, age, 57
- N70** and, topographical analysis of onset VEP in paracentral visual field defects, 62-69
- Obsessive compulsive disorder** and, brain stimulation, 52-53
- Occipital localization** and, source analysis of EEG in learning disorders, 160-164
- Olfactory stimulation** and, EEG changes in humans, intravenous, 189-192
- Partial complex seizures** and, EEG source localization of interictal epileptiform activity, 42-47
- See also Complex partial seizures
- Periodic Lateralized Epileptiform Discharges (PLEDs)** and, hyperperfusion and seizures, SPECT, 171-173
- Photic stimulation** and, EEG harmonic driving response in normal aging and Alzheimer's disease, 86-92
- police car colored flash lights, epileptogenic potential, 48-50
- Principal components analysis** and, cognitive ERPs in depressive and anxiety disorders during tonal and phonetic oddball tasks, 119-124
- P600**, and, semantic congruity and word repetition in left temporal lobe epilepsy, 111-118

**Psychiatric disorder** and, cognitive ERPs during tonal and phonetic oddball tasks, 119-124

- current status and perspectives, electrophysiology, neuroimaging, 143
- EEG and fMRI data, 143
- EEG mapping in diagnosis and therapy, key-lock principle, 136
- obsessive compulsive disorder, 52-53
- P300 human brain function, EEG/fMRI, 143
- P300 in schizophrenia, 125-135
- role of electrophysiology, 142, 145
- schizophrenia, ERP latency abnormalities, 152

**P3a and P3b**, See **P300****P300** and, clinical patients, No.3, VI, 97-135

- depressive and anxiety disorders during tonal and phonetic oddball tasks, 119-124
- HIV patients receiving anti-viral medication, 97-101
- moderate to severe brain injury, 102-110
- schizophrenia, influence of interstimulus interval, 125-135
- Wechsler Memory Scores on an aging large population, 149-150

**Quantitative EEG (QEEG)** and, Asperger's patients, 53

- caffeine withdrawal, 178-188
- cocaine dependence outcome in subtypes, 8-20
- donepezil in Alzheimer's disease, 93-96
- medication response prediction, 54
- neurofeedback in epilepsy, 55
- picowatts, reaction times in low level lead toxicity, 153
- psychodynamics in the laboratory, 141, 144
- sources of EEG activity in hemorrhage, 70-76
- sources of EEG activity in learning disorders, 160-164
- traumatic brain injury, 56

**Reflex epilepsy** and, Gozzano, EEG pioneer, 155-159**Schizophrenia** and, ERP, 152

- P300, 125-135

**Seizures** and, absence status epilepticus, behavioral correlates, 136-140

- carbamazepine induced, 174-177
- complex partial epilepsy, 1-7, 42-47, 171-173
- fractal chaos and paroxysmal activity, 153-154
- gelastic attacks, 193
- Gozzano, pioneer, 155-159
- Lennox-Gastaut syndrome, long-term follow up, 1-7
- limbic ERP and memory deficits, 147
- magnetoencephalography, 140
- neurofeedback treatment, 55
- N400, semantic congruity and word repetition, 111-118
- nonconvulsive status epilepticus, 136-140
- photosensitivity, colored flash lights, 48-50
- B/PLEDs and hyperperfusion, with SPECT, 171-173
- pre-aura, 58-61
- relationship between slow and sharp waves, 165-170
- source localization, interictal epileptiform activity, 42-47

- status epilepticus, 55, 136-140

**Sensory gating** and, theoretical, methodological and empirical advances, 144**Sharp waves** and, relationship to slow waves and to clinical seizures, 165-170

- See also **Spikes**

**Single Photon Emission Computer Tomography** and, PLEDs and hyperperfusion, seizures, 171-173**Sleep** and, cholinergic rapid eye movement in alcohol dependence, 152

- EEG abnormalities in psychotic disorders, 141
- Gozzano, pioneer, 155-159
- mood disorders, 54

**Slow activity** and, Alzheimer's disease with donepezil treatment, 93-96

- caffeine withdrawal, 178-188
- learning disabled children, 160-164
- Lennox-Gastaut syndrome long-term EEG changes, 1-7
- relationship to sharp waves and seizures, 165-170
- spontaneous intracerebral hemorrhage, 70-76
- task-related cognitive processing, 51-52

**Somatosensory evoked potentials (SSEP)** and, CNV paradigm, 77-81

- cocaine dependence outcome related to electrophysiological subtypes, 8-20
- detection of brain herniation injury by spectral autocorrelation measurement, 151, 152-153
- transcranial magnetic stimulation for monitoring spinal cord surgery, 30-41

**Source localization** and, cocaine dependence outcome related electrophysiological subtypes, 8-20

- intracerebral hemorrhage, 70-76
- interictal epileptiform activity in partial complex epilepsy, 42-47
- learning disabled children, 160-164

**Spike and wave activity** and, carbamazepine-induced seizures, 174-177

- Lennox-Gastaut syndrome, long-term EEG changes, 1-7

**Spikes** and, Gozzano pioneer, 155-159

- Lennox-Gastaut syndrome, long-term follow up, 1-7
- N400, semantic congruity and word repetition, 111-118
- nonconvulsive status epilepticus, behavioral correlates, 136-140
- PLEDs, hyperperfusion and postlobectomy seizures, 171-173
- relationship of slow and sharp waves, with seizures, 165-170
- source localization of interictal epileptiform activity, 42-47
- status epilepticus, 55, 136-140

**Spinal cord monitoring** and, cap-shaped coil for transcranial magnetic stimulation, 21-41**Spindles** and, Mario Gozzano EEG pioneer, 155-159**Status epilepticus** and, EEG, 55

- nonconvulsive, EEG and behavioral correlates, 136-140
- Temporal localization** and, limbic ERP in epilepsy, 147
  - memory, ERP in humans, 146
  - N400, semantic congruity and word repetition in left temporal lobe epilepsy, 111-118
  - olfactory stimulation, 189-192
  - PLEDs, hyperperfusion and seizures post lobectomy, 171-173
- Theta activity** and, caffeine withdrawal, 178-188
  - source analysis in learning disabled children, 160-164
  - See also Slow activity
- Thiamin propyl disulfide** and, EEG changes during intravenous olfactory stimulation, 189-192
- Topographic analysis** and, caffeine withdrawal, 178-188
  - VEP detection of paracentral visual defects, 62-69
  - See also QEEG
- Transcranial magnetic stimulation** and, monitoring descending spinal cord motor function, 21-41
  - obsessive-compulsive disorder, 52-53
- Traumatic brain injury** and, P3a and P3b, 102-110
  - QEEG, 56, 144
- Tumor, brain,** and, VEP in detecting paracentral visual field defects, 62-69
- Variable Resolution Electromagnetic Tomography (VARETA)** and, sources of abnormal EEG activity in spontaneous intracerebral hemorrhage, 70-76
  - source localization of interictal epileptiform activity in partial complex epilepsy, 42-47
  - subtypes of cocaine dependence, source localization, 8-20
- Vascular changes** and, pre-aura in epilepsy, 58-61
  - sources of abnormal EEG activity in brain hemorrhage, 70-76
  - stroke, movement-related cortical potentials, 154
- Visual evoked potentials** and, detection of paracentral visual field defects, topographical analysis, 62-69



